Whatever the occasion

belling®

think of everything

All the choice
All the features

Belling think of everything

Whatever your lifestyle, you'll want to choose appliances that complement your home and your way of living. And in the new range from Belling there's something to suit the day-to-day demands of everyone. Our high-performance cookers, from our range models to the legendary Baby Belling, lead a superb range that also includes feature-packed integrated appliances. Browse through this brochure and you'll see why Belling is at the forefront of innovation and style.

Our reputation for quality and reliability is unrivalled. Belling has developed products with the very latest technology to ensure excellence in manufacturing. Over the last century Belling has become one of the great British brands, committed to giving you exactly what you want in terms of design and features.

November 2004 edition.

Contents

Introduction

Range Cookers

Freestanding

Built-in

Hobs and Accessories

Integrated Appliances

Product Care

Specifications

Belling is an innovative British brand

Belling is dedicated to bringing you more advanced products for the home.
Appliances that not only incorporate the latest technology but also give you real benefits in
terms of time, efficiency and convenience.
Take our latest Cookcenter Evolution range cookers. Each model effortlessly combines
state-of-the-art technical innovation with outstanding build quality. And with a wide range of
features, you'll soon discover preparing every type of meal has never been easier.

Stainless Steel

W White

Blue

C Charcoal

AL Aluminium

Champagne

AE Aluminium Effect*

A Anthracite

Verdant Green

Green

B Black

SI Silver

Sable

T Titanium Effect

Owing to the limitations of the printing process, colours in this brochure may not be entirely accurate.

At Belling we have a keen eye for design. We recommend you check the trims (e.g. handles and finials) of our products before you buy.

*Aluminium effect products are designed to match the finish on Aluminium products. However, as Aluminium effect is a painted finish, some differentation may occur between the two finishes.

Fan Oven
The heating element surrounds a fan which distributes hot air around the oven. The result is a more even temperature throughout the oven and much faster cooking – ideal for batch baking.

Conventional Oven
A conventional oven works on the principle that heat rises. It is hotter at the top than at the bottom – ideal for cooking different dishes simultaneously.

Fan Defrost
The oven fan assists defrosting by circulating air around the food. Ideal for delicate frozen foods such as cream gateaux and cheesecakes.

Conventional Grill
The conventional grill cooks by using heat from above the food and is ideal for a range of foods from toast to steak.

Fastlite Grill
A dual grill which heats up in seconds and so needs minimal pre-heating, providing faster, more efficient grilling.

Dual Grill
This feature allows you to use the whole of the grill or just part of it for grilling smaller quantities economically.

Fan Grilling
The fan circulates heat from the oven grill around the food, simultaneously browning and sealing the juices in. Economical rotisserie or spit effect.

Rotisserie
The db120 main oven includes a rotisserie, providing a healthy alternative way of cooking. Easy to install and clean, the rotisserie can be used to cook a variety of foods such as poultry, meats and kebabs.

Fan Assisted
The oven is heated by top and bottom elements and the fan mounted in the back panel helps to distribute heat throughout the oven.

Bottom Heat Only
This setting allows you to cook the bottom of pizza, flan or pastries without drying out the topping.

Top Heat Only
Ideal for browning foods such as rice pudding or cauliflower cheese as the heat is not as fierce as a grill.

Oven Light
A light in the oven.

Base Fan
Ideal for dishes that require bottom heat, such as pizzas.

Multifunction Oven
A versatile oven including a number of different functions which may include a fan oven, top and bottom heat for conventional cooking, fan grilling and fan defrost facility.

Double Oven
An oven with two cavities, including a smaller top oven which also doubles as a grill.

Main Oven
The larger cavity in a double oven.

Top Oven
The smaller cavity in a double oven.

Slow Cooker Oven
Some of our range cookers also feature a slow cook oven in the lower right hand cavity. So not only can you use it as a storage area, Belling has added heating elements making it ideal for plate-warming or casserole cooking.

Ceramic Hob
The electric element is held in place under the ceramic glass. Ceramic hobs are easy to keep clean. Not all pans are suitable for ceramic hobs.

Fastlite Element
A hob element sealed under a ceramic hob but with much faster heat response than standard ceramic elements.

Halogen Element
Quite literally, cooking at the speed of light. Each element – held under easy to clean glass – is heated by halogen tubes, providing instant 'light up'.

Red Spot Elements
Sealed electric hob elements that heat up quicker than standard elements.

Warming Zone
The warming zone on your Cookcenter Evolution is ideal for keeping foods like meat dishes, puddings and vegetables hot.

Coolline Doors
Some Belling doors are double glazed and cooled by air flow to keep the surface relatively cool. At an oven temperature of 200ºC, the average door temperature would be 45ºC.

Cookclean Liners
Cookclean liners actually clean themselves of cooking spills and splashes at 220ºC or higher.

Dual Fuel
The perfect combination of a gas hob with an electric oven and grill.

Closed-Door Grilling
Closed-door grilling allows conventional grilling behind the safety of toughened glass doors, ideal for when small, inquisitive children are around.

Induction Hob
Induction hobs are very accurate so it is possible to create a constant low temperature – perfect for simmering food. They are extremely fast and don't waste heat, so they use a lot less energy. A special magnetic field also means that if there is no saucepan on the hob but the power is on, the surface will not heat up until a suitable saucepan is placed on it. Induction hobs must be used in conjunction with an enamelled steel, cast iron or stainless steel pan.

If you take cooking seriously, Belling's big range cookers are big on choice and big on features. There's the Belling Cookcenter Evolution with its choice of electric, gas or dual fuel and a range of colours to complement your kitchen. Then there's the stylish Fusion in striking aluminium. Or, for the more traditional kitchen, our Farmhouse with its classic good looks or Countrychef complete with high-performance eight burner hob make the perfect cooking companions. And for the more contemporary space, there's the next generation of db cookers. Complete with redesigned exteriors and a host of innovative new features, they're stylish appliances that make a great focal point in any modern kitchen. This impressive range includes the stunning db120 which offers everything even the keenest cooks could wish for.

Cookcenter Evolution

110cm wide range cooker

Two large ovens and smaller slow cooker oven • Single piece hob

Gas hob with seven burners including wok burner on 151, 152 and 153

Ceramic hob with five Fastlite elements and one sealed hotplate on 150

Electric warming zone on hob • Glass lid with auto shut-off • Removable griddle

LED Clock/Programmer (bottom left hand oven only programmable)

Cookclean liners • Cast iron pan supports • LPG conversion kit for 152 included

Models 150 Electric*, 151 Gas, 152 Dual Fuel*, 153 LPG

Stainless Steel and Charcoal models bright chrome coloured handles.
Champagne models bright chrome and satin etched chrome handles.

Top left   Bottom left   Top right   Bottom right

ELECTRIC SLOW COOKER

C *Cookcenter 150 and 152 are the only Cookcenters available in all colours.
Other models are available in stainless steel only.

HOODS AND SPLASHBACKS (ABOVE) TO COMPLEMENT YOUR NEW
RANGE COOKER ARE FEATURED ON PAGE 27 OF THIS BROCHURE

If you're looking for a cooker that has everything, the new generation of Belling db cookers make the perfect kitchen companions. Designed for the more capable cook, and at home in any kitchen, our db cookers boast cutting edge technology and stylish good looks. And with a host of features, including dual wok burners, multifunction plus conventional ovens, labour saving innovations such as our Cookclean liners and a choice of widths and fuels, the db range makes cooking any dish an absolute pleasure.

db120 Range

120cm wide dual fuel range cooker

Four gas burners including one wok burner

Two ceramic Fastlite elements

Integral deep fat fryer with wooden chopping board cover in cast frame

Utensil holder

Removable cast griddle over ceramic hob

Cast iron pan supports

LED Clock/Programmer (only main oven programmable)

Main multifunction oven with rotisserie

Second conventional oven with grill

Full width Smoothglide storage drawer

LPG Conversion kit included

Left oven   Right oven

Featured splashback and hood are no longer available.

Full of innovative thinking

Multifunction hob
The Belling db120 hob caters for every cooking style you can think of.
Four gas burners and two ceramic Fastlite elements offer a choice of gas or
electric cooking. You'll also find an integrated fryer with utensil rest and a
removable griddle that can be used over the ceramic elements. The cooker even
includes a useful beech chopping board to increase the preparation space.

Fastlite elements
The Fastlite elements on the db120 hob are sealed under ceramic glass and
offer a much faster heat-up than standard electric hobs.

Deep fat fryer
Belling's deep fat fryer offers all the advantages of a standard fryer,
except ours is integrated into the multifunction hob. And, for convenience,
the oil pan is removable for easy cleaning.

Rotisserie
The db120 main oven includes a rotisserie, providing a healthy, alternative
way of cooking. Easy to install and clean, the rotisserie can be used to cook
a variety of foods such as poultry, meats and kebabs.

The dbs close up

Choice of widths, fuel and styling

Belling db cookers come in a choice of widths – 90 or 100cm.
And with gas, electric and dual fuel models, there's a choice of fuels to suit your preferred cooking style too. For styling, choose from the db900 with horizontal handles, glass doors and black finish, or the db1000 with vertical handles, mirrored doors and stainless steel finish.

Multifunction ovens and versatile hobs

Each db cooker in the range features a large and a medium-sized oven.
On the electric and dual fuel models, there is a large 55 litre multifunction oven and a 32 litre conventional oven; the gas version (db1000G) features two conventional ovens. On the gas and dual fuel models the hob features five gas burners, including two wok burners and cast iron pan supports.
The electric ceramic hob incorporates four Fastlite elements for quick heat-up and a handy warming zone.

Built-in storage and easy cleaning

Whichever db cooker you choose, you'll find a spacious storage drawer under the ovens – perfect for keeping pans, baking trays and utensils.
And with Cookclean liners and removable doors, keeping your new db spotless is made easy.

db1000 Range
100cm wide range cooker

db1000DF

Multifunction electric main oven with electric grill
Conventional electric second oven • Gas hob with five burners including
a wok burner and a 'mini' wok burner • Cast iron pan supports
LED Clock/Programmer (only main oven programmable)
Storage compartment with pull out drawer
Removable doors for easy cleaning

Left oven   Right oven

db1000E

Multifunction electric main oven with electric grill • Conventional electric
second oven • Ceramic hob with four Fastlite elements and a warming zone
LED Clock/Programmer (only main oven programmable)
Storage compartment with pull out drawer
Removable doors for easy cleaning

Left oven   Right oven

db1000G

Gas hob with five burners including a wok burner and a 'mini' wok burner
Cast iron pan supports • Two conventional gas ovens • Electric grill
LED Clock/Programmer (only main oven programmable)
Storage compartment with pull out drawer
Removable doors for easy cleaning

Left oven   Right oven

+Electric grill. *Gas oven.

db900 Range
91.5cm wide range cooker

db900DF

Multifunction electric main oven
Conventional electric second oven
Dual grill in main oven
Gas hob with five burners including a wok burner and a 'mini' wok burner
Cast iron pan supports
LED Clock/Programmer (only main oven programmable)
Storage compartment with pull out drawer
Removable doors for easy cleaning

Left oven   Right oven   B

db900E

Multifunction electric main oven
Conventional electric second oven
Dual grill in main oven
Ceramic hob with four Fastlite elements and a warming zone
LED Clock/Programmer (only main oven programmable)
Storage compartment with pull out drawer
Removable doors for easy cleaning

Left oven   Right oven   B

Fusion 136

100cm wide electric range cooker

Conventional oven
Fan oven
Main oven programmable
Conventional grill
Ceramic hob with five Fastlite elements
Electric warming zone
Glass mirror finish doors with aluminium trim
Towel rail handles
Storage compartment
LED Clock/Programmer
Ergonomic knobs
Aluminium control panel
Cookclean liners in both main ovens

Top left	Bottom left	Top right	Bottom right
			STORAGE
AL			

Why use aluminium on the Fusion?

For the ultimate in modern style there's no better metallic finish. It's easy to clean and resistant to fingerprints, making it the perfect alternative to stainless steel.

Colour co-ordinated handles, knobs and door frames complement the overall aesthetics of the cooker, helping it to blend beautifully with most kitchen cabinets, including wood and lacquered finishes.

Light and strong, aluminium naturally generates a protective oxide coating, making it corrosion resistant. All aluminium parts on the cooker have been anodized, improving this property further and giving longer life.

Full of the latest features

Fastlite element
The Fusion incorporates a modern, semi-circular hob design.
The hob elements are sealed under a ceramic hob, but with much faster heat response than standard ceramic elements.

Aluminium control panel
The control panel puts everything you need right at your fingertips. Easy to read dials and displays make sure it's all easy to find and operate and ergonomic knobs help keep you in complete control.

Warming zone
The warming zone has a variety of different heats and many uses. It's perfect for softening butter and for keeping foods like casseroles warm. It's also ideal for keeping liquids such as gravy at the perfect temperature.

LED Clock/Programmer
Leaves you free to do other things safe in the knowledge your food is being cooked beautifully without your supervision.

Countrychef

100cm wide range cooker

Gas hob with eight burners • Cast pan supports • LED Clock/Minute Minder

Two large ovens • Gas model (923) with gas ovens/grill

Dual fuel model (924) with electric ovens/grill • Storage compartment

Cookclean liners • Chrome towel rail handle

LPG conversion kit for 924 included

All with chrome finish to handles.

Top right   Top left   Bottom left   Bottom right

STORAGE

A   SI

Farmhouse

100cm wide range cooker

Hob with five sealed plate elements/gas burners and warming zone

Wok burner • Separate grill • Cookclean liners

Clock/Programmer • Storage compartment

Models 930 electric, 931 gas and 932 dual fuel

LPG conversion kit for 932 included

Graphics and handles have a gold finish on all colours.

Top right   Top left   Bottom right   Bottom left

STORAGE

B   *Available on 930 and 932 only.   §Available on 931 only.

Belling's freestanding range offers the perfect combination of sophisticated style and superb performance. The electric models boast fan ovens for fast heat-up or multifunction ovens that give you the option of fan or conventional cooking. In our gas range you'll find a host of features guaranteed to make cooking a real pleasure. And with dual fuel you get the best of both a gas hob and an electric oven in one highly versatile cooking appliance. Space an issue? Don't worry – we're still making our design classic, the Baby Belling range. Hoods and splashbacks to complement your new freestanding cooker are featured on page 26 of this brochure.

Format 648HM

60cm wide slot-in multifunction double oven

Ceramic hob with one Halogen and three Fastlite hob elements • Hob hot light
Glass control panel • LED Clock/Programmer (only main oven programmable)
Cookclean liners • Top conventional oven with dual zone grill
Multifunction main oven • Removable inner glass doors for easy cleaning

White model – White handle with bright chrome ends and white control knobs with bright chrome skirt.
Silver model – Satin handles with bright chrome ends and black control knobs with satin chrome skirt.

Top cavity   Lower cavity

W   SI

Format 645

60cm wide slot-in double oven

Ceramic hob with four Fastlite hob elements • Hob hot light
Glass control panel • LED Clock/Programmer (only main oven programmable)
Cookclean liners • Top conventional oven with dual zone grill
Main fan oven • Removable inner glass doors for easy cleaning

Bright polished chrome handles with satin chrome ends and satin chrome control knobs.

Top cavity   Lower cavity

T   TITANIUM EFFECT FINISH IS EXCLUSIVE TO BELLING

Format 647

60cm wide slot-in double oven

Ceramic hob with four Fastlite hob elements • Hob hot light

LED Clock/Programmer (only main oven programmable) • Cookclean liners

Top conventional oven with dual zone grill • Main fan oven

Removable inner glass doors for easy cleaning

Stainless steel model – Satin chrome handles with black control knobs.
Aluminium model – Satin chrome handles with black control knobs.

Top cavity   Lower cavity

AL

Format 644

60cm wide slot-in double oven

Ceramic hob with four Fastlite hob elements • Hob hot light

Glass control panel • LED Clock/Programmer (only main oven programmable)

Top conventional oven with dual zone grill • Main fan oven • Cookclean liners

Removable inner glass doors for easy cleaning

Black and Silver models – Satin chrome handles with black ends and black control knobs.
White model – Satin chrome handles with white ends and white control knobs.

Top cavity   Lower cavity

W   B   SI

Forum 334

50cm wide slot-in double oven

Ceramic hob with one Halogen element

Combined top oven and grill

LED Clock/Programmer (only main oven
programmable) • Cookclean liners

Viewing windows to both ovens

Top cavity   Lower cavity

W   SI

Forum 317

50cm wide slot-in double oven

Sealed plate hob with four Red Spot elements

Combined top oven/grill • LED Clock/Programmer
(only main oven programmable)

Cookclean liners

Viewing windows to both ovens

Top cavity   Lower cavity

W   SI   A

Forum 335

50cm wide slot-in double cavity cooker

Sealed plate hob with four elements

One Red Spot element

Separate grill in top cavity

Main conventional oven

Viewing windows to oven and grill

Top cavity   Lower cavity

W   SI   A

Cameo 329

50cm wide slot-in double cavity cooker

Sealed plate hob with four elements

One Red Spot element

Viewing windows to oven and grill

Separate grill in top cavity

Main conventional oven

Top cavity   Lower cavity

W

Available while stocks last.

E298

50cm wide slot-in single cavity cooker

Sealed plate hob with four elements

One Red Spot element

Conventional oven

Oven light

Viewing window to oven

W

Classic 427

55cm wide highback double oven

Sealed plate hob elements with two Red Spot elements

Analogue Clock/Programmer (main oven programmable)

Top oven with dual zone grill • Fanned main oven

Defrost function Cookclean liners • Glass door • Fascia cooling

Top cavity   Lower cavity

W

Compact 216

50cm wide highback double oven

Radiant ring hob*

Cookclean liners

Top cavity   Lower cavity

W

*Limited availability due to sealed plate replacement.

Compact 206

50cm wide highback double cavity cooker

Radiant ring hob*

Cookclean liners

Top cavity   Lower cavity

W

*Limited availability due to sealed plate replacement.

Baby Belling

The baby range

Conventional oven will hold a 12lb turkey • Variable grill

Two radiant ring hotplates in two sizes • Removable oven roof

Power-on and oven-on neon lights

13 amp plug or mains cooker point models available

Easy clean enamel splashback to hob

Optional cooker stand (model 420R), suitable for 120 and 320

Choose between hob-only, oven-plus-grill or hob-plus-grill and oven models

W   Pictured clockwise: 120 (on stand), and 320 (left)

G747

60cm wide slot-in stainless steel gas double oven

Glass lid with auto shut-off • Four variable rated
gas burners • Enamel pan supports
LED Clock/Minute Minder • Top oven with gas grill
Gas main oven • Oven light in main oven
Electronic ignition

Top cavity   Lower cavity

G744

60cm wide slot-in gas double oven

Glass lid with auto shut-off
Four variable rated gas burners
Enamel pan supports • LED Clock/Minute Minder
Conventional top oven with grill
Gas main oven • Electronic ignition

Top cavity   Lower cavity

B

G756

50cm wide slot-in gas double oven

Glass lid with auto shut-off
Four variable rated gas burners
Enamel pan supports • LED Clock/Minute Minder
Top oven with gas grill • Gas main oven
Electronic ignition • Oven light

Top cavity   Lower cavity

W **A**

G755

50cm wide slot-in double cavity gas cooker

Glass lid with auto shut off
Four variable rated gas burners
Enamel pan supports • Separate grill
Electronic ignition

Top cavity   Lower cavity

W **A**

G716/7

50cm wide slot-in gas cooker

Gas hob with four burners • Gas oven with gas grill
Door with viewing window to oven
Electronic ignition • Oven light
G717 LPG

Top cavity

W

Built-in style. Built-in performance. Built-in choice. The Synergie built-in range is our best ever, offering all the qualities you expect in a modern appliance. And you'll find a wide choice of finishes too. Choose from traditional Belling colours or sophisticated Belling aluminium for both ovens and hobs. Singles, doubles, conventional or multifunction – select the oven that's right for you.

XOU251

Built-in single fan oven

Glass control panel • Coolline glass door

Full width variable grill • Tangential cooling fan

Mechanical Minute Minder • Oven light • Towel rail handle

White & Silver models: Silver D-shaped handle and silver knobs.
Black model: Silver D-shaped handle and black knobs.

Single cavity

W B SI

XOU252

Built-in single fan oven

Glass control panel • Coolline door • Full width variable grill

Tangential cooling fan • LED Clock/Programmer • Oven light

Towel rail handle • Stainless Steel capped doors and control panel with brushed

Stainless Steel handle and black knobs on the XOU252SS

White & Silver models: Silver D-shaped handle and silver knobs.
Black model: Silver D-shaped handle and black knobs.
Stainless Steel model: Brushed Stainless Steel handle and black knobs.

Single cavity

W B SI

XOU270

Built-in multifunction oven with programmer

LED Clock/Programmer • Full width variable grill • Glass control panel

Coolline glass door • Easyclean oven finish • Tangential cooling fan

Two oven lights • Bright polished handle on all colours

Stainless Steel model has capped doors and control panel with

bright polished handle

White, Silver and Stainless Steel models:
Bright polished T-bar shaped handle and silver knobs.
Black, Blue & Green models: Bright polished T-bar shaped handle and black knobs.

Single cavity

B

XOU482

Built-in double oven with programmer

Top conventional oven with dual zone variable grill

Coolline glass doors

Glass control panel

LED Clock/Programmer

Oven light in main oven

Tangential cooling fan

Cookclean linings in both ovens

Towel rail handle

White and Silver models: Silver D-shaped handles and silver knobs.
Black model: Silver D-shaped handles and black knobs.
Stainless Steel model: Bright polished T-bar, shaped handles and black knobs.

Top cavity   Lower cavity

XOU487

Built-in multifunction 50/50 double oven

Two equally sized multifunction ovens

Variable dual zone grill in top oven

LED Clock/Programmer

Coolline doors

Cookclean linings to both ovens

Tangential cooling fan

Stainless Steel model has bright polished handles and black control knobs.

Top cavity   Lower cavity

XOU492/XOU493AL

Built-in multifunction double oven with programmer

Top conventional oven with dual zone variable grill

LED Clock/Programmer

Glass control panel

Coolline oven doors

Cookclean linings in both ovens

Tangential cooling fan

Oven light in main oven and top oven

Bright polished handle on all models

Stainless Steel model has capped doors and control panel

White model: Bright polished T-bar shaped handles and silver knobs.
Black and Stainless Steel models: Bright polished T-bar shaped handles and black knobs.

Aluminium model: Aluminium capped doors and control panel.
Colour co-ordinated control knobs and timer buttons.

Top cavity   Lower cavity

W B   AL

XOU592

Built-under fan double oven with programmer

LED Clock/Programmer

Top conventional oven with dual zone variable grill

Glass control panel

Coolline glass doors

Cookclean linings in both ovens

Tangential cooling fan

Bright polished handle on both ovens

Oven light in main oven

Stainless Steel model has capped doors and control panel

White model: Bright polished T-bar shaped handles and silver knobs.
Black and Stainless Steel models: Bright polished T-bar shaped handles and black knobs.

Top cavity   Lower cavity

W B

The little details can make a big difference to the overall styling of your kitchen. That's why Belling put as much thought into our accessories as we do our appliances. Feel free to choose from a wide selection of hobs, splashbacks and hoods, all of which offer stunning looks and great performance in equal measure. Our range boasts many designs and finishes, so there's something to suit every home.

GHU568

60cm four burner gas hob

Precision triple flame wok burner
Stylish contoured front controls
Automatic ignition
Enamel pan supports and burner caps
LPG kit included

| B |

GHU572

70cm five burner gas hob

Stylish contoured front controls
Automatic ignition
High powered triple flame wok burner
Enamel pan supports and burner caps
Control knobs co-ordinated with oven range
LPG kit included
Fits into 60cm cut out

GHU573

70cm five burner gas hob

Stylish angled front controls
Automatic ignition
High powered triple flame wok burner
Cast pan supports and burner caps
Control knobs co-ordinated with oven range
LPG kit included
Fits into 60cm cut out

| B |

GHU567

60cm four burner gas hob

Side controls • Automatic ignition
Enamel pan supports and burner caps
Control knobs co-ordinated with
oven range • LPG kit included

| W | B |

GHU574

70cm five burner gas hob

Stylish front controls
Automatic ignition
Enamel pan supports
LPG kit included
Black glass with aluminium frame

CHU165

**60cm frameless ceramic
Fastlite hob**

Four Fastlite elements
Stylish black bevelled glass with
silver graphic
Hob hot light

(Not all pans are suitable for ceramic hobs)

CHU265

**60cm frameless ceramic
Halogen hob**

One Halogen element and three
Fastlite elements
Stylish black bevelled glass
with silver graphic
Hob hot light

(Not all pans are suitable for ceramic hobs)

CHU266

**70cm ceramic glass hob with
Stainless Steel frame**

Contoured stainless steel frame
with front controls
Four Fastlite elements including
one double element
Black ceramic glass
Hob with hob hot indicators

(Not all pans are suitable for ceramic hobs)

CTC365

**60cm frameless ceramic touch
control hob**

Touch controls at front of hob
Four Fastlite elements
Stylish black bevelled glass with
silver graphic
Time programming on one element
Hob with hob hot indicators
Child lock

(Not all pans are suitable for ceramic hobs)

CTC465

**70cm frameless touch control
ceramic hob**

Touch control at front of hob
Five Fastlite elements
Timer facility to all elements
Stylish black bevelled glass with
silver graphic
Hob with hob hot indicators
Child lock

(Not all pans are suitable for ceramic hobs)

SHU53

60cm sealed plate hob*

Four red spots
New control knob co-ordinated
with the oven range
*Stainless Steel size 57.8cm (W) x 49.8cm (D)

| W |

CHIM60SS/CHIM60BL
60cm chimney cooker hood

CHIM70SS
70cm chimney cooker hood

CHIM90SS/CHIM90BL
90cm chimney cooker hood

CHIM101SS/CHIM101AL/ CHIM101BL
100cm chimney cooker hood

CHIM110SS/CHIM110BL
108.2cm chimney cooker hood

Three speed fan
2 x 40W lamps
Washable grease filters
Carbon filters available as an optional extra
Oval push button controls

`AE` `B`

CHIM100
100cm range chimney cooker hood with towel rail handle

Extracts or re-circulates
Three speeds (sliding control)
Three halogen spotlights (3 x 20W)
Charcoal filter and three aluminium grease filters
Can be installed with or without the towel rail

Black model has gold towel rail.
Stainless Steel model has chrome towel rail.

`B`

CHIM103
108.2cm chimney cooker hood

Extracts or re-circulates
Three speeds (sliding control)
Three halogen spotlights (3 x 20W)
Charcoal filter and three aluminium grease filters
Can be installed with or without the towel rail (supplied chrome only)

`B`

CCH543
60cm canopy cooker hood

Three speed fan
Integral light
Washable grease filters
Carbon filters available as an optional extra
Slide controls

`SI`

ICH602
60cm integrated cooker hood

Three speed fan
Integral light
Washable grease filters
Carbon filters available as an optional extra
Slide controls

`SI`

CH503/CH603
50cm/60cm visor cooker hood

Three speeds
2 x 40W lamp
Washable grease filter
100mm air outlet adaptor supplied
Carbon filters available as an optional extra
Decorative flue included – installation optional

`W`

DCH900

90cm designer chimney cooker hood

Oval push button controls

Stainless Steel body and chimney

Curved glass canopy • 2 x 20W halogen lights

Washable grease filters

Carbon filters available as an optional extra

DIH900

90cm designer island cooker hood

Oval push button controls

Stainless Steel body and chimney

Curved glass canopy

4 x 10W halogen lights • Washable grease filters

Carbon filters available as an optional extra

CARBON FILTERS ARE AN OPTIONAL EXTRA AND CAN BE PURCHASED FROM OUR SPARES DEPARTMENT ON **0870 458 9695**

SPL60SS

60cm splashback and matching rail

60cm x 75cm brushed stainless steel

SPL70SS

70cm splashback and matching rail

70cm x 75cm splashback in brushed stainless steel

SPL90SS

90cm splashback and matching rail

90cm x 75cm brushed stainless steel

SPL100SS

100cm splashback and matching rail

100cm x 75cm brushed stainless steel

SPL110SS

108.2cm splashback and matching rail

108.2cm x 75cm brushed stainless steel

(Utensils not included)

BE808

Built-under larder fridge

Automatic defrost • Forced ventilation
Reversible door • Adjustable feet
Three glass shelves • Smoked accessories
Dairy compartment • Egg rack
Two storage containers • Salad/vegetable crisper
Dusty condenser sound alarm
Net capacity 143 litres

ENERGY
A

CFC & HFC FREE
REFRIGERANT

BE809

Built-under freezer

Manual defrost • Reversible door
Dusty condenser sound alarm
Switched normal/super operation
Forced ventilation • Fast freeze compartment
Three pull out baskets • Adjustable feet
Interior light • Freezing capacity 8kg/24hr
Net capacity 85 litres

ENERGY
A

CFC & HFC FREE
REFRIGERANT

★ ★★★

IDW603

Fully integrated 60cm dishwasher

Twelve place settings
Eight programmes
Programme start and end indicator
Salt and rinse aid lights
Half load capacity
No prewash setting
Inner door detergent dispenser
Self cleaning micro filter
Water softener adjustment
Delay start/pause function
Time to end of programme display

BE810

70/30 combination fridge freezer

Automatic fridge defrost
Manual freezer defrost
Five glass shelves
Reversible door
Five door containers, two with lids
Two salad/vegetable crispers
Two egg trays Interior light
Fast cooling switch
Fast freeze compartment
Two freezer drawers
Net fresh food volume 176 litres
Net frozen food volume 69 litres

ENERGY
A

CFC & HFC FREE
REFRIGERANT

★ ★★★

BE811

50/50 combination fridge freezer

Automatic fridge defrost
Manual freezer defrost
Four glass shelves
Reversible door
Two salad/vegetable crispers
Four door containers, two with lids
Two egg trays
Four freezer drawers/baskets
Net fresh food volume 141 litres
Net frozen food volume 98 litres

ENERGY
A

CFC & HFC FREE
REFRIGERANT

★ ★★★

SGE12X

Fully integrated washer dryer

22 Programmes
Choice of wool and delicate settings
600-1200rpm spin speeds
Variable temperature • 5kg wash load
2.5kg drying load capacity
Water consumption washing and drying 99 litres

BIM60

Push button control panel
LED Clock/Auto programmer function
Six functions
Four power levels
Oven light
Integrated design

Belling offers a range of cleaning products to help keep your cooker
in tip-top condition. All of our cleaning products are available by calling the Belling Spares Department on **0870 458 9961**

Replacement Carbon Filters*
Keep your kitchen odour-free by replacing your cooker hood filter every 3-4 months (depending on usage).

Sealed Hotplate Conditioner
Restores the sleek matt black finish to your solid electric hotplates.

Stainless Steel Cleaner
The perfect product for removing stubborn marks and generally keeping your appliances clean and shiny.

Oven Cleaner Trigger Spray
Cut through the grease and burnt-on grime that collects on cooker walls and glass doors.

Ceramic Hob Scraper Kit
Ideal for removing stubborn cooked-on marks from ceramic glass hobs.

Multi-Purpose Kitchen Cleaner
An excellent multi-surface cleaner for general cleaning in the kitchen.

Ceramic Hob Cleaner and Conditioner
Makes your ceramic hob easier to clean and extends its lifespan. Also prevents the build-up of mineral deposits, which can cause surface discolouration.

E-Cloth™
A chemical-free cleaning product, ideal for cleaning and polishing glass and stainless steel.

Belling's Customer Care team can be contacted seven days a week, 364 days a year. Lines are open Monday to Friday from 8.00am to 8.00pm, Saturday from 8.30am to 6.00pm and Sunday 10.00am to 4.00pm. With trained staff to handle your call, a spares department which holds over one million spare parts, and a specialised team of nationwide service engineers, you know you can rely on Belling. Still trying to decide which of our products to choose? Just call 0870 444 9939 and you'll get through to one of our friendly customer care assistants. Alternatively, visit our website at www.bellingappliances.co.uk, where you'll find a simple step-by-step guide to cooker selection, a list of Belling retailers and a special email contact facility.

The Belling Customer Help Centre number is
0870 444 9939

NAME	Cookcenter Evolution 150	Cookcenter Evolution 151	Cookcenter Evolution 152	Cookcenter Evolution 153	Fusion 136	Countrychef 923	Countrychef 924*	Farmhouse 930	Farmhouse 931§	Farmhouse 932*	db900DF	db900E	db1000DF	db1000E	db1000G	db120*
MODEL																
Hob type	Electric	Gas	Gas	LPG Gas	Ceramic	Gas	Gas	Electric	Gas	Gas	Gas	Electric	Gas	Electric	Gas	Multifunction
Oven type	Electric	Gas	Electric	LPG Gas	Electric	Gas	Electric	Electric	Gas	Electric	Electric	Electric	Electric	Electric	Gas	Electric
												(Electrc Grill)				
ELEMENTS KW																
Electric warming zone	0.1-0.11	0.1-0.11	0.1-0.11	0.1-0.11	0.25	–	–	0.19	0.19	0.19	–	0.2	–	0.2	–	–
Front left	1.5 Fastlite	1.8	1.8	1.8	1.5 Fastlite	2.0	2.0	2.0	3.0	3.0	2.9 Wok	1.8 Fastlite	2.9 Wok	1.8 Fastlite	2.9 Wok	3.3 Wok
Front centre	1.8 Fastlite	3.5 Wok	3.5 Wok	3.5 Wok	1.8 Fastlite	–	–	2.0 Pan Sensor	3.5 Wok	3.5 Wok	3.5 Wok	–	3.5 Wok	–	3.5 Wok	–
Front right	1.5 Fastlite	3.0	3.0	3.0	1.5 Fastlite	2.9	2.9	1.5	1.8	1.8	1.8	1.2 Fastlite	1.8	1.2 Fastlite	1.8	1.0 Aux
Back left	1.2 Fastlite	3.0	3.0	3.0	1.2 Fastlite	2.0	2.0	1.0	1.8	1.8	1.8	1.5 Fastlite	1.8	1.5 Fastlite	1.8	1.75 Semi
Back right	1.2 Fastlite	1.8	1.8	1.8	1.2 Fastlite	1.0	1.0	1.5	1.0	1.0	1.0	2.4/1.8 Fastlite	1.0	2.4/1.8 Fastlite	1.0	3.0 Rapide
Front centre left	–	–	–	–	–	2.9	2.9	–	–	–	–	–	–	–	–	–
Front centre right	–	–	–	–	–	2.0	2.0	–	–	–	–	–	–	–	–	–
Back centre left	–	–	–	–	–	1.0	1.0	–	–	–	–	–	–	–	–	–
Back centre right	–	–	–	–	–	2.0	2.0	–	–	–	–	–	–	–	–	–
Right (griddle)	1.5 Solid	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Front auxiliary (griddle)	–	0.8	0.8	0.8	–	–	–	–	–	–	–	–	–	–	–	1.2 Ceramic
Back auxiliary (griddle)	–	0.8	0.8	0.8	–	–	–	–	–	–	–	–	–	–	–	1.2 Ceramic
Dual zone grill (in top LHS cavity)	✔	–	✔	–	–	–	–	–	–	–	–	–	–	–	–	–
Deep Fat Fryer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2.0-2.2
OVENS																
Main oven type	Fan Electric	Gas	Fan Electric	LPG Gas	Fan Electric	Gas Conventional	Fan Electric	Fan Electric	Gas Conventional	Fan Electric	Multifunction Electric	Multifunction Electric	Multifunction Electric	Multifunction Electric	Conventional Gas	Multifunction Electric
Main oven (kW)	2.5	2.8	2.5	2.8	–	–	–	–	–	–	2.6	2.6	2.6	2.6	2.6	2.9
Top LHS	–	–	–	–	–	–	–	2.25	2.60	2.25	–	–	–	–	–	–
Top RHS	2.4 Conv.	2.8 Conv.	2.4 Conv.	2.8 Conv.	2.4 Conv.	2.5 Conv.	2.5 Conv.	–	–	–	–	–	–	–	–	–
Bottom LHS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bottom RHS	0.22 (Elec.)	0.22 (Elec.)	0.22 (Elec.)	0.22 (Elec.)	Storage	Storage	Storage	2.0	2.4	2.0	–	–	–	–	–	–
Shelves	4	4	4	4	4	4	4	5	4	5	2	2	2	2	2	4
Door type	Metal/Glass	Metal/Glass	Metal/Glass	Metal/Glass	Glass (capped)	Metal/Glass	Metal/Glass	Metal	Metal	Metal	Glass	Glass	Glass/SS	Glass/SS	Glass/SS	Glass/SS
Top/2nd oven (kW)	–	–	–	–	–	–	–	–	–	–	2.2	2.22	2.22	2.22	2.4	1.7
Grill element	2.6	3.8	2.6	3.8	2.0	2.0	2.0	2.3	3.0 Gas	2.3	2.6	2.6	2.6	2.6	2.6	2.9
Shelves	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Main oven	2	2	2	2	2	–	–	3	2	3	2	2	2	2	2	2
2nd oven	2	2	2	2	1	–	–	2	2	2	1	1	1	1	1	2
Clock and timer	LED Clock/ Programmer	LED Clock/ Programmer	LED Clock/ Programmer	LED Clock/ Programmer	LED Clock/ Programmer	LED Clock/ Minute Minder	LED Clock/ Minute Minder	Analogue/ Digital	Analogue/ Digital	Analogue/ Digital	LED clock/ Programmer	LED clock/ Programmer	LED clock/ Programmer	LED clock/ Programmer	LED clock/ Programmer	LED Clock/ Programmer
Colour options	Champagne 058563024 Charcoal 058563025 Stainless Steel 058563027	Champagne 050564177 Charcoal 050564178 Stainless Steel 050564180	Champagne 050564173 Charcoal 050564174 Stainless Steel 050564176	Champagne 050564181 Charcoal 050564182 Stainless Steel 050564184	Aluminium 058560038	Green 050560067 Silver 050560065 Anthracite 050560066 Champagne 050560072	Green 050561073 Silver 050561071 Anthracite 050561072 Champagne 050561079	Green 058560035 Champagne 058560034 Black 058560037	Green 050560060 Champagne 050560061 Black 050560064	Green 050561066 Champagne 050561067 Black 050561065	Black 444445402	Black 444445401	Stainless Steel 444445400	Stainless Steel 444445683	Stainless Steel 444445399	Stainless Steel 059056317
Height (cm)	90.0-91.5‡	90.0-91.5‡	90.0-91.5‡	90.0-91.5‡	90.0-91.5	90.0-91.0	90.0-91.0	90.0-91.0	90.0-91.0	90.0-91.0	90-91.5	90-91.5	90-91.5	90-91.5	90-91.5	90.0
Width (cm)	108.2	108.2	108.2	108.2	100.0	99.5	99.5	100.0	100.0	100.0	91.2	91.2	99.7	99.7	99.7	117
Depth (cm) (excl. handles)	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0
ENERGY RATINGS																
Main Oven Energy Rating	B	n/a	B	n/a	B	n/a	C	B	n/a	B	C	C	C	C	–	C
Conventional kWh	–	–	–	–	–	–	–	0.82	–	0.82	1.38	1.38	1.38	1.38	–	1.53
Forced air kWh	1.10	–	1.10	–	0.98	–	1.10	–	–	–	1.24	1.24	1.24	1.24	–	1.46
Usable volume	65	–	65	–	50	–	51	45	–	45	67	67	67	67	–	72
Type	Large	–	Large	–	Medium	–	Medium	Medium	–	Medium	Large	Large	Large	Large	–	Large
2nd Oven Energy Rating	A	n/a	A	n/a	B	n/a	C	B	n/a	B	C	C	C	C	–	C
Conventional kWh	0.99	–	0.99	–	0.99	–	1.10	–	–	–	1.16	1.16	1.16	1.16	–	1.03
Forced air kWh	–	–	–	–	–	–	–	0.85	–	0.85	–	–	–	–	–	–
Usable volume	65	–	65	–	50	–	53	60	–	60	45	45	45	45	–	32
Type	Large	–	Large	–	Medium	–	Medium	Medium	–	Medium	Medium	Medium	Medium	Medium	–	Medium
CAPACITY (litres)																
Main oven	–	–	–	–	–	–	–	60	53	60	55	55	55	55	55	71
2nd oven	–	–	–	–	–	–	–	44	38	44	32	32	32	32	32	31
Top LHS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Top RHS	69	52.2	69	52.2	50	42	47	–	–	–	–	–	–	–	–	–
Bottom LHS	64	52.2	64	52.2	45	42	50	–	–	–	–	–	–	–	–	–
Bottom RHS	43.1	43.1	43.1	43.1	–	–	–	–	–	–	–	–	–	–	–	–
Installation width (cm)	109	109	109	109	100.5	100.5	100.5	100.5	100.5	100.5	91.5	91.5	100	100	100	117.2
Packed weight (kg)	135	135	135	135	130	130	130	115	115	115	141	141	141	141	141	184

Conv. = Conventional. Product marked* can be converted to use liquefied petroleum gas (LPG). ‡Heights quoted with lid down. Conversion to LPG hob must be carried out by a suitable qualified CORGI registered installer using the kit provided. As with all Belling cookers, our ranges come complete with a full 12-month parts and labour guarantee, supported by our nationwide network of fully qualified engineers. Please ask for information about gas pipework for installation prior to purchasing. All products not supplied with a plug must be permanently wired. §Product to be discontinued, please check availability.

Gas Electric ratings based on 240V

NAME						
MODEL	G747	G744	G756	G755	G717	G716
Cooker type	60cm double oven	60cm double oven	50cm double oven	50cm double cavity	50cm single oven	50cm single oven
Fuel type	Natural Gas	Natural Gas	Natural Gas	Natural Gas	LPG	Natural Gas
HOB						
Hob type	Natural Gas	Natural Gas	Natural Gas	Natural Gas	LPG	Natural Gas
BURNERS						
Front left (kW)	3.0	3.0	2.0	2.0	1.0	1.0
Front right (kW)	1.8	1.8	3.0	3.0	1.75	1.75
Back left (kW)	1.8	1.8	2.5	2.5	1.75	1.75
Back right (kW)	3.0	3.0	2.0	2.0	2.7	2.7
Lid	✔	✔	✔	✔	–	–
GRILL						
Fixed grill	–	–	✔	–	✔	✔
Variable grill (kW)	✔	✔	–	✔	–	–
Grill element (kW)	3.8	3.8	2.0	2.0	3.0	3.0
MAIN OVEN						
Main oven type	Gas	Gas	Gas	Gas	Gas	Gas
Main oven (kW)	2.7	2.7	2.5	2.5	3.3	3.3
Shelves	2	2	2	2	1	1
Door type	Metal/Glass	Metal/Glass	Metal/Glass	Metal/Glass	Metal/Glass	Metal/Glass
TOP OVEN						
Main oven type	Gas	Gas	Gas	–	–	–
Main oven (kW)	2.0	2.0	2.0	–	–	–
Shelves	1	1	1	1	–	–
Clock and timer	LED Clock Minute Minder	LED Clock Minute Minder	LED Clock Minute Minder	–	–	–
Colour options	Stainless Steel 050551183	Black 050551180	White 050531083 Anthracite 050531084	White 050531081 Anthracite 050531082	White 050532128	White 050532126
Height (cm)‡	90.0-91.5	90.0-91.5	91.0	91.0	90.0	90.0
Width (cm)	60.0	60.0	50.0	50.0	50.0	50.0
Depth (cm) [excl.handles]	60.0	60.0	60.0	60.0	60.0	60.0
Capacity (litres) [main oven]	50.6	50.6	39	39	48	48
Capacity (litres) [top oven]	20.9	20.9	21	21	–	–
Ignition type	Mains	Mains	Mains	Mains	Mains	Mains
Packed weight (kg)	70	70	70	65	47	47

*Window to both ovens
‡Height quoted with lid down
All installations of gas and dual fuel products must be undertaken by a suitably qualified CORGI registered engineer.
All Belling products conform to the latest British and European standards.

NAME	Format	Format	Format	Format	Forum	Forum	Forum	Cameo		Classic	Compact	Compact
MODEL	648HM	647	645	644	334	317	335	329	E298	427	216	206
Hob type	Ceramic	Ceramic	Ceramic	Ceramic	Ceramic	Sealed	Sealed Hot Plate	Sealed	Sealed	Sealed	Radiant	Radiant
ELEMENTS/HOTPLATES												
Front left (kW)	1.2 Fastlite	1.2 Fastlite	1.2 Fastlite	1.2 Fastlite	1.8 Fastlite	2.0 Red Spot	2.0 Red Spot	2.0 Red Spot	2.0 Red Spot	1.0	1.8	1.8
Front right (kW)	1.8 Halogen	1.8 Fastlite	1.8 Fastlite	1.8 Fastlite	1.2 Halogen	1.5 Red Spot	1.0	1.0	1.0	1.8	1.1	1.1
Back left (kW)	1.5 Fastlite	1.5 Fastlite	1.5 Fastlite	1.5 Fastlite	1.2	1.5 Red Spot	1.0	1.0	1.0	1.8	1.1	1.1
Back right (kW)	1.2 Fastlite	1.2 Fastlite	1.2 Fastlite	1.2 Fastlite	1.8	2.0 Red Spot	1.05	1.5	1.5	1.0	1.8	1.8
Hob hot indicator	✔	✔	✔	✔	–	–	–	–	–	–	–	–
OVENS												
Dual zone grill	✔	✔	✔	✔	–	–	–	–	–	✔	✔	–
Grill element (kW)	2.9	2.6	2.6	2.6	2.0	2.0	2.0	2.0	1.85	2.3	2.7	2.5
Main oven type	Multifunction	Fan	Fan	Fan	Fan	Fan	Conventional	Conventional	Conventional	Fan	Conventional	Conventional
Main oven (kW)	2.5	2.5	2.5	2.5	1.84	1.8	1.9	1.9	1.86	2.5	2.4	2.4
Shelves	2	2	2	2	2	2	2	2	1	2	2	2
Door type	Glass*	Glass*	Glass*	Glass*	Metal/Glass	Metal/Glass	Metal/Glass	Glass	Metal/Glass	Glass	Metal	Metal
Top/2nd oven (kW)	1.93	1.93	1.93	1.93	1.8	1.8	1.87	–	–	1.3	1.9	–
Shelves	1	1	1	1	1	1	1	–	–	1	1	–
Clock and timer	LED/Clock programmer	LED/Clock programmer	LED/Clock programmer	LED/Clock programmer	LED	LED	–	–	–	Analogue	–	–
Colour options	White 058552122 Silver 058552124	Stainless Steel 058552125 Aluminium 058552126	Titanium Effect 058552132	Black 058552110 White 058552109 Silver 058552112	White 058532114 Silver 058532115	White 058532107 Silver 058532122 Anthracite 058532108	White 058532110 Silver 058532112 Anthracite 058532111	White 058532106	White 058532104	White 444445074	White 058532105	White 058599022
Height (cm)	90.0-91.5	90.0-91.5	90.0-91.5	90.0-91.5	90.0-91.5	90.0-91.0	90.0-91.5	91.5	90.0	126.0	122.5	122.5
Width (cm)	60.0	60.0	60.0	60.0	50.0	50.0	50.0	50.0	50.0	55.0	50.0	50.0
Depth (cm) [excluding handles]	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0
Height to hob (cm)	–	–	–	–	–	–	–	–	–	90.0	90.0	90.0
Capacity (litres) [main oven]	58	64	64	64	49.1	49	46.7	50	48	62.5	50	50
Capacity (litres) [top oven]	33	33	33	33	24.1	24	–	–	–	35	29	–
Packed weight (kg)	70.5	70.5	70.5	70.5	60	57	57	48	47	65	60	60
ENERGY RATINGS												
Main Oven Energy Rating	B	B	B	B	C	C	C	C	B	A	B	B
Conventional kWh	–	–	–	–	–	–	1.19	1.19	0.98	–	0.99	0.99
Forced air kWh	1.19	1.19	1.19	1.19	1.03	1.03	–	–	–	1.19	–	–
Usable volume	65	65	65	65	53	53	53	53	49	65	52	52
Type	Large	Large	Large	Large	Medium	Medium	Medium	Medium	Medium	Large	Medium	Medium
2nd Oven Energy Rating	B	B	B	B	D	D	–	–	–	A	B	–
Conventional kWh	0.96	0.96	0.96	0.96	1.19	1.19	–	–	–	0.96	0.72	–
Forced air kWh	–	–	–	–	–	–	–	–	–	–	–	–
Usable volume	35	35	35	35	25	25	–	–	–	35	29	–
Type	Medium	Medium	Medium	Medium	Medium	Medium	–	–	–	Medium	Small	–

*Window to both ovens

NAME	Baby Belling	Baby Belling
MODEL	120	320
Hob	✔	✔
Oven	✔	✔
Grill	✔	✔
Height (cm)	39.4	39.4
Height with splashback (cm)	49.5	49.5
Width (cm)	48.2	48.2
Depth (cm) [excluding handles]	41.9	41.9
Colour options	White 058525000	White 058525002
Mains connection	13 amp fitted plug	32 amp
Optional stand (model 420)	✔	✔
Packed weight (kg)	23	23

NAME	Built-in	Built-in	Built-in	Built-in	Built-under
MODEL	**XOU482**	**XOU487**	**XOU492**	**XOU493AL**	**XOU592**
Main oven type	Fan	Multifunction	Multifunction	Multifunction	Fan
Main oven (kW)	2.5	2.58	2.5	2.5	2.5
Shelves	2	2	2	2	2
Fan cooking	✔	✔	✔	✔	✔
Fan grilling	–	✔	✔	✔	–
Fan defrost	–	✔	✔	✔	–
Top and bottom heat	–	✔	✔	✔	–
Top heat	–	✔	–	–	–
Bottom heat	–	✔	–	–	–
Top oven type	Conventional	Multifunction	Conventional	Conventional	Conventional
Top oven (kW)	1.85	2.58	1.87	1.87	1.85
Shelves	1	2	1	1	1
Variable grill	✔	✔	✔	✔	✔
Dual zone grill	✔	✔	✔	✔	✔
Grill (kW)	2.6	2.7	2.6	2.6	2.6
Door type	Coolline	Coolline	Coolline	Coolline	Coolline
Clock and timer	LED	LED	LED	LED	LED
Colours	White 058588066 Black 058588067 Silver 058588068 Stainless Steel 444445073	Stainless Steel* 058588077	White 058588070 Black 058588071 Stainless Steel 058588075	Aluminium 058588076	White 058587100 Black 058587101 Stainless Steel 058587105
APERTURE REQUIREMENTS:					
Height (cm)	88.7	88.7	88.7	88.7	87.0-89.0
Width min. (cm)	59.7	59.7	59.7	59.7	59.7
Depth min. (cm)	57.7	60.0	60.0	60.0	57.0
Turkey size (lb) main oven	32.0	24.0	32.0	32.0	24.0
Packed weight (kg)	68.5	68.5	68.5	68.5	60.0
ENERGY RATINGS					
Main Oven Energy Rating	A	A	A	A	C
Conventional kWh	–	–	–	–	–
Forced air kWh	0.99	1.16	0.99	0.99	0.99
Usable volume	65	65	65	65	51
Type	Large	Large	Large	Large	Medium
2nd Oven Energy Rating	A	B	A	A	C
Conventional kWh	0.79	0.99	0.79	0.79	0.88
Forced air kWh	–	–	–	–	–
Usable volume	35	47	35	35	33
Type	Medium	Medium	Medium	Medium	Small

Note: Always refer to the manufacturer's manual before installation.

NAME			
MODEL	**XOU251**	**XOU252**	**XOU270**
Main oven type	Fan	Fan	Multifunction
Main oven (kW)	2.4	2.4	2.6
Shelves	2	2	2
Fan grilling	–	–	✔
Fan defrost	✔	✔	✔
Top and bottom heat	–	–	✔
Variable grill	✔	✔	✔
Grill (kW)	2.0	2.0	2.0
Door type	Coolline	Coolline	Coolline
Minute Minder	✔	–	–
Clock and timer	–	LED	LED
Colours	White 058585117 Black 058585118 Silver 058585120	White 058585121 Black 058585122 Silver 058585123 Stainless Steel 058585125	Black 058585127 Stainless Steel 058585131
APERTURE REQUIREMENTS:			
Height (cm)	57.0	57.0	57.0
Width (cm) (min.)	56.0	56.0	55.6
Depth (cm) (min.)	54.0	54.0	54.0
Turkey size (lb) oven	28.0	28.0	28.0
Packed weight (kg)	31.0	31.0	31.0
ENERGY RATINGS			
Main Oven Energy Rating	B	B	B
Conventional kWh	0.99	0.99	0.99
Forced air kWh	–	–	0.99
Usable volume	53	53	53
Type	Medium	Medium	Medium

Note: Always refer to the manufacturer's manual before installation.

NAME	GHU567	GHU568	GHU572	GHU573	GHU574	CHU165	CHU265	CHU266	CTC365	CTC465	SHU53
Hob type	Gas	Gas	Gas	Gas	Gas	Fastlite Ceramic	Halogen Ceramic	Fastlite Ceramic	Ceramic Touch Control	Ceramic Touch Control	Sealed
ELEMENTS*											
Front left (kW)	3.1	2.0 Wok	2.5	1.0	1.0	1.8 Fastlite	1.8 Halogen	1.8	1.8 Fastlite	1.8 Fastlite	2.0
Front right (kW)	1.0	1.0	1.0	1.4	1.0	1.5 Fastlite	1.5 Fastlite	1.2	1.5 Fastlite	1.5 Fastlite	1.5
Back left (kW)	1.75	1.75	1.75	1.75	1.75	1.2 Fastlite	1.2 Fastlite	1.2	1.2 Fastlite	1.2 Fastlite	1.5
Back right (kW)	1.75	1.75	1.75	3.0	1.75	2.0 Fastlite	2.0 Fastlite	1.7	2.0 Fastlite	1.2 Fastlite	2.0
Centre (kW)/auxiliary	–	–	2.8 Wok	3.35 Wok	2.8	–	–	–	–	2.0 Fastlite	–
Hob hot indicator	–	–	–	–	–	✔	✔	✔	✔	✔	–
Colour options	White 050577046 Black 050577047 Stainless Steel 050577049	Black 050577051 Stainless Steel 050577053	Stainless Steel 050577044	Black 050577056 Stainless Steel 050577055	Black glass Aluminium Frame 050577058	Frameless Black glass 058588006	Frameless Black glass 058577007	Stainless Steel 058577014	Frameless Black glass 058577008	Frameless Black glass 058577013	White 058577009 Stainless Steel* 058577012
APERTURE REQUIREMENTS:											
Width (cm)	55.3	55.3	55.3	55.3	55.5	56.0	56.0	55.3	56.4	66.0	55.3
Depth (cm)	47.3	47.3	47.3	47.3	47.5	48.6	48.6	47.3	49.0	48.6	47.3
PRODUCT DIMENSIONS:											
Width (cm)	57.7	57.7	68.0	68.0	68.4	57.8	57.8	68.0	57.8	67.8	57.8
Depth (cm)	49.8	49.8	50.0	49.8	50.4	50.4	50.4	50.0	50.4	50.3	50.3
Packed weight (kg)	9.0	9.2	13.2	16.5	14.7	10.0	10.0	11.5	10.0	10.0	10.0

Note: Always refer to the manufacturer's manual before installation. *SHU53 Stainless Steel 57.8cm (W) x 49.8cm (D)

All gas hobs can be converted to liquid petroleum gas (LPG) using the kit provided. This conversion must be carried out by a suitably qualified CORGI registered installer.

NAME	CHIM60†	CHIM70†	CHIM90†	CHIM101†	CHIM100†	CHIM103†	CHIM110†	CH503/CH603	ICH602	CCH543	DCH900	DIH900
Light	2 x 40W lamps	2 x 40W lamps	2 x 40W lamps	2 x 20W lamps Halogen	3 x 20W lamps Halogen	3 x 20W lamps Halogen	3 x 20W lamps Halogen	2 x 40W lamps	2 x 40W lamps	2 x 40W lamps	2 x 20W lamps Halogen	4 x 10W lamps Halogen
Speeds	3	3	3	3	3	3	3	3	3	3	3	3
Recirculating*	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔
Ducting**	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔
Duct size (cm)	12.0	12.0	12.0	12.0	12.0	12.0	12.0	10.0	10.0	10.0	12.0	12.0
Maximum extract rate (m³/h)	480	480	480	480	465	465	480	287	281	229	480	480
Grease filter included	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔
Height (cm)§	70.5-96.0	70.5-96.0	70.5-96.0	70.5-96.0	70.5-96.0	70.5-96.0	70.5-96.0	15.0	40.0	14.8	64-112.5	70.5-112.5
Width (cm)	60.0	70.0	90.0	100.0	108.2	108.2	108.2	50.0/60.0	60.0	52.5	90.0	90.0
Depth (cm)	50.0	50.0	50.0	50.0	53.2	53.2	50.0	50.5	28.2	28.2	49.0	60.0
Front extended/fixed visor** (cm)	–	–	–	–	–	–	–	52.3	49.5	–	–	–
Motor rating	1 x 250W	1 x 250W	1 x 250W	1 x 250W	1 x 250W	1 x 250W	1 x 272W	1 x 120W	1 x 120W	1 x 120W	1 x 250W	1 x 272W
Noise level	56dBA	56dBA	56dBA	56dBA	65dBA	65dBA	56dBA	53dBA	53dBA	55dBA	56dBA	58dBA
Colours	Black 050410088 Stainless Steel 050410084	Stainless Steel 050410087	Stainless Steel 050410095	Stainless Steel 050410092 Aluminium effect 050410093 Black 050410094	Black 050599160 Stainless Steel 050599162	Black 050410080	Stainless Steel 050410096	White 050410091/ 050410089	Silver 050410083	Silver 050410082	Glass and Stainless Steel 050410090	Glass and Stainless Steel 050410085
Packed weight (kg)	13.5	14.5	15.5	16.5	16.5	18.0	18.0	8.00	12.0	5.5	24.0	38.0

Visor fixed on the CH603 and CH503. §Height quoted includes hood and chimney, chimney extension available. *Requires Carbon filters – Optional Extra. **Requires Ducting kit – Optional Extra. † – Grease filters included.
15cm and 12cm duct kit available, telephone **0870 458 9961**
Carbon filters and ducting kits can be purchased as an optional extra, telephone **0870 458 9961**

MODEL	SPL60	SPL70	SPL90	SPL100	SPL110
Width (mm)	600	700	900	1000	1082
Height (mm)	750	750	750	750	750
Utensil rail	✔	✔	✔	✔	✔
Colour	Stainless Steel 050590118	Stainless Steel 050590119	Stainless Steel 050590123	Stainless Steel 050590121	Stainless Steel 050590125

Integrated Appliances Specifications

MODEL	BE808	BE809	BE810	BE811
Fridge capacity (litres)	143	–	176	141
Freezer capacity (litres)	–	85.0	69.0	98.0
Height (cm)	82.0-90.0	82.0-90.0	178	178
Width (cm)	60.0	60.0	57.0	56.0
Depth (cm)	55.0	55.0	55.0	55.0
Energy Rating	A	A	A	A
Refrigeration gas	R600a	R600a	R600a	R600a
Packed weight (kg)	35.0	39.0	65.0	61.0
Product code	050418094	050418095	050418093	050418092

Dishwasher and Washer Dryer Specifications

NAME MODEL	Dishwasher IDW603	Washer/Dryer SGE12X
Number of wash programmes	8	23
	rinse & hold, 70° intensive, 70° strong, 60° heavy, 40° quick, normal, Biowash, delicate	includes wool and delicates programme
Number of drying programmes	–	2
Temperature settings	–	4
Number of place settings	12	–
Half load option	✔	–
Slow spin button	–	✔
Extra rinse	–	✔
Washload (kg)	–	5.0
Drying load (kg)	–	2.5
Height (cm)	81.5-87.0	82.0
Width (cm)	59.5	59.8
Depth (cm)	55.0	53.7
Water consumption (litres)	14.0	55
Full spin speed (rpm)	–	1200
Noise level (dbA)	47	–
Total power (kW)	2.3	2.7
Packed weight (kg)	48.5	81
Energy rating (washing/drying)	A	D (B/C)
Product code	050418096	050418088

Microwave

NAME MODEL	Microwave BIM60
Microwave rating/output (W)	900
Microwave rating/consumption (W)	1500
Control panel	selector knobs & push button controls
Power levels	4
Functions	defrost, simmer, reheat, cook, duo
Auto weight defrost/cook	✔
Removable turntable	25.5cm Ø
LED clock/programmer	✔
Oven light	✔
Oven capacity (litres)	24
Cavity finish	Stainless Steel
Surround trim	Stainless Steel (included)
Dimensions (mm)	
Cavity	210(h) x 350(w) x 351(d)
Microwave	318(h) x 540(w) x 382(d)
Microwave & fixing kit	378(h) x 540(w) x 450(d)
Surround trim	460(h) x 592(w) x 23(d)
Cabinetry	450(h) x 560(w) min x 500(d) min
Colour	Stainless Steel 058525010

All Belling products conform to the latest European standards.